

**ANALISIS KETEPATAN KODE DIAGNOSIS PENYAKIT HIPERTENSI
BERDASARKAN ICD-10 DI RUMAH SAKIT UMUM UNIVERSITAS
MUHAMMADIYAH MALANG**

(Yuliana Seni Nio) (Sri Erna Utami)

Sekolah Tinggi Ilmu Administrasi (STIA) Malang
Program Diploma III Perkam Medis & Informasi Medis

(Yuliana Seni Nio)

email : yuliananioseni@gmail.com

Abstrac

Emergency, outpatient, and inpatient care are just some of the medical services offered by a healthcare facility known as a hospital. A proper health information recording system is needed to manage patient medical data and to improve the quality of service. The World Health Organization (WHO) created the International Statistical Classification of Diseases and Related Health Problems Tenth Revision (ICD-10) system, which is used to code each diagnosis in medical records. In this study, the University of Muhammadiyah Malang Hospital evaluated the accuracy of ICD-10-based hypertension diagnostic codes. Interviews and observations were used to collect data, which were then analyzed descriptively. According to the data, 26% of hypertension diagnostic codes still had errors, while 74% of them were correct. The ICD-10 coding errors of the University of Muhammadiyah Malang Hospital were caused by the coder's carelessness in evaluating or validating the diagnosis code, ensuring its occupancy, and the implementation of SOPs that were not functioning or were not carried out properly.

Keywords: Accuracy of Diagnosis Codes, Hypertension, and ICD-1